## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Amended) A fabric care composition comprising:
- 1)- from 5% to 10% of a nitrogen containing dye fixing agent, and
- ii)- a scum reducing agent selected from the group consisting of N<sub>2</sub>N dimethyl-N-(2-hydroxyethyl)-N-dodecyl/tetradecyl ammonium bromide, myristoyl choline ester quaternary methylammonium halides, lauroyl choline ester methylammonium halides, cocoyl choline ester quaternary methylammonium halides, a polyoxyalkylene alkyl amine surface active agent, and mixtures thereof, and

iii)- a polyamino-functional polymer wherein said polymer comprises a polyamine backbone corresponding to the formula:

$$\begin{matrix} R' & j \\ [R_2'N-R]_{n+1} - [N-R]_m - [N-R]_n - NR_2' \end{matrix}$$

having a polyamine formula  $V_{(n+1)}W_mY_nZ$  or a polyamine backbone corresponding to the formula:

having a polyamine formula  $V_{(n-k+1)}W_mY_nY_kZ$ , wherein k is less than or equal to n, said polyamine backbone has a molecular weight greater than 200 daltons, wherein

i) V units are terminal units having the formula:

ii) W units are backbone units having the formula:

$$-N-R- \qquad \text{or} \qquad -N-R- \qquad \text{or} \qquad -N-R-$$

iii) Y units are branching units having the formula:

having the formula:

Z units are terminal units having the formula:

wherein backbone linking R units are selected from the group consisting of C2-C12 alkylene, C4-C12 alkenylene, C3-C12 hydroxyalkylene, C4-C12 dihydroxy-alkylene, C8-C<sub>12</sub> dialkylarylene,  $-(R^1O)_xR^1$ ,  $-(R^1O)_xR^5(OR^1)_x$ , - $(CH_2CH(OR^2)CH_2O)_2(R^1O)_{VR}^1(OCH_2CH(OR^2)CH_2)_{Vr}$ ,  $-C(O)(R^4)_{r}C(O)_{r}$ . CH2CH(OR2)CH2-, and mixtures thereof; wherein R1 is selected from the group consisting of C2-C6 alkylene and mixtures thereof; R2 is selected from the group consisting of hydrogen, -(R<sup>1</sup>O)<sub>x</sub>B, and mixtures thereof; R<sup>4</sup> is selected from the group consisting of C<sub>1</sub>-C12 alkylene, C4-C12 alkenylene, Cg-C12 arylalkylene, C6-C10 arylene, and mixtures thereof: R<sup>5</sup> is selected from the group consisting of C<sub>1</sub>-C<sub>12</sub> alkylene, C<sub>3</sub>-C<sub>12</sub> hydroxyalkylene, C4-C12 dihydroxy-alkylene, C8-C12 dialkylarylene, -C(O)-, -C(O)NHR6NHC(O)-, -R1(OR1)-, -C(O)(R4)-C(O)-, -CH2CH(OH)CH2-, -CH2CH(OH)CH2O(R<sup>1</sup>O)<sub>V</sub>R<sup>1</sup>OCH2CH(OH)CH2-, and mixtures thereof; R<sup>6</sup> is selected from the group consisting of C2-C12 alkylene or C6-C12 arylene; R' units are selected from the group consisting of hydrogen, C1-C22 alkyl, C3-C22 alkenyl, C7-C22 arylalkyl, C2-C22 hydroxvalkyl, -(CH2)pCO2M, -(CH2)aSO3M, -CH(CH2CO2M)CO2M, -(CH2)pPO3M, -(R<sup>1</sup>O)<sub>x</sub>B, -C(O)R<sup>3</sup>, and mixtures thereof; B is selected from the group consisting of hydrogen, C1-C6 alkyl, -(CH2)aSO3M, -(CH2)aCO2M, -(CH2)a(CHSO3M)CH2SO3M, -(CH<sub>2</sub>)<sub>0</sub>-(CHSO<sub>2</sub>M)CH<sub>2</sub>SO<sub>3</sub>M, -(CH<sub>2</sub>)<sub>n</sub>PO<sub>3</sub>M, -PO<sub>3</sub>M, and mixtures thereof; R<sup>3</sup> is selected from the group consisting of C1-C18 alkyl, C7-C12 arylalkyl, C7-C12 alkyl substituted aryl, C6-C12 aryl, and mixtures thereof; M is hydrogen or a water soluble cation in sufficient amount to satisfy charge balance; X is a water soluble anion; m has the value from 2 to 700; n has the value from 0 to 350; p has the value from 1 to 6, q has the value

from 0 to 6; r has the value of 0 or 1; w has the value 0 or 1; x has the value from 1 to 100; y has the value from 0 to 100; z has the value 0 or 1.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Original) A composition according to Claim 3 1, wherein the polyoxyalkylene alkyl amine surface active agent has the formula:

$$R - A_q - N - [(R^1O)_x(R^2O)_y R^3]_m$$

$$(R^4)_n$$

wherein R is selected from C7-C21 linear alkyl, C7-C21 branched alkyl, C7-C21 linear alkenyl, C7-C21 branched alkenyl, and mixtures thereof; R<sup>1</sup> is ethylene; R<sup>2</sup> is selected from C3-C4 linear alkyl, C3-C4 branched alkyl, and mixtures thereof; R<sup>3</sup> is selected from hydrogen, C1-C4 linear alkyl, C3-C4 branched alkyl, and mixtures thereof; R<sup>4</sup> is selected from hydrogen, C1-C4 — N — (R5) —

linear alkyl,  $C_3$ - $C_4$  branched alkyl, and mixtures thereof; A is  $R^5$  is selected from -[( $R^1O$ )<sub>x</sub>( $R^2O$ )<sub>y</sub>] unit,  $C_1$ - $C_16$  linear alkyl,  $C_1$ - $C_16$  branched alkyl,  $C_1$ - $C_16$  branched alkenyl, and mixtures thereof; wherein the index m is 1 or 2, the index n is 0 or 1, provided that when m is equal to 1, n is equal to 1; and when m is 2 n is 0; wherein the index x is from 0 to about 50, preferably from 1 to 25, wherein the index y is from 0 to about 10; wherein the index q is 0 or 1.

- 5. (Original) A composition according to Claim 4, wherein said index x is from 1 to 25.
- 6. (Original) A composition according to Claim 5, wherein said index m is equal to 2 and n is equal to 0.
- 7. (Cancelled)
- 8. (Original) A composition according to Claim 7, wherein said dye fixing agent is a cellulose reactive dye fixing agent.
- 9.-14. (Cancelled)